




KONICA MINOLTA

magicolor 2350



Compact, affordable network color laser printer
Up to 4 ppm color / 18 ppm monochrome
Up to 9600 x 600 dpi-class resolution
Standard 10/100BaseTX Ethernet®, USB, and parallel interfaces

The essentials of imaging

Simple printing. Colorful results.



Easy Network Color Printing

Producing a colorful business document can increase sales, persuade your audience, and improve your image. Now, thanks to the **magicolor® 2350 EN**, it can also save you money. This user-friendly, compact color laser printer delivers photorealistic image quality for detailed, vivid color at a price that can't be beat.

Simple Printing

- Windows® and Mac® compatible, the **magicolor 2350** is a smart business companion.
- The printer's toner cartridges are factory-installed to make set-up absurdly easy.
- Featuring Crown® X functionality, the **magicolor 2350** offers across-the-board simplicity with intuitive drivers, convenient printer management, and "at-a-glance" tools for easy maintenance.
- The **magicolor 2350** arrives ready for the network with a built-in 10/100BaseTX Ethernet interface.

Colorful Results

- With the **magicolor 2350's** Photo ART™ technology, you can enjoy 9600 x 600 dpi-class resolution for amazing photorealistic image quality.
- Enhanced Automatic Image Density Control (eAIDC) means consistent color throughout the life of the printer.

Complete Flexibility

- The **magicolor 2350** prints on plain paper, thick stock, transparencies, envelopes, and glossy media. Add a duplexer for two-sided printing or a 500-sheet feeder for more paper input.
- For more flexibility, install a hard disk to access Proof then Print, electronic collation, Job Accounting, and other helpful features.
- With its modest size, the **magicolor 2350** is at home in an executive office, corporate office—even a small office.



magicolor 2350 EN



magicolor 2350 EN with optional 500-sheet lower input feeder and duplexer



basics

options

Resolution

- Up to 9600 x 600 dpi-class for photorealistic image quality

Interfaces

- Ethernet (10/100BaseTX), USB, IEEE 1284 parallel

Print speed

- Color: up to 4 ppm
- B&W: up to 18 ppm

Memory

- 128 MB RAM

Printer Emulations

- PostScript® 3, PCL® 6 w/ PjL, PDF 1.3 (requires hard disk)

Paper size and input

- Up to legal (8.5" x 14")
- 200-sheet multipurpose tray

Memory

- Upgradeable to 384 MB

Hard Disk



- For Job Accounting, collation, Print & Hold, Proof then Print, Secured Job, and Stored Jobs functions

Document handling

- Automatic duplexer for two-sided printing

Paper input

- 500-sheet lower input feeder



KONICA MINOLTA



magicolor 2350 – Technical

Printing Process

Print Method: electrophotographic laser

Print Speed:

Color: up to 4 ppm

Monochrome: up to 18 ppm/letter, 17 ppm/A4

First Page Output Time:

Monochrome: 14 seconds from an idle, ready state

Color: 25 seconds from an idle, ready state

(Exact print speed differs depending on system configuration, software application, driver, and document complexity)

Resolution:

PostScript: Up to 9600 x 600 dpi-class

PCL: Up to 1200 x 1200 dpi

Recommended Duty Cycle: Up to 35,000 prints/month

(25/75 mix of color and monochrome)

Hardware and Software Capabilities

Processor Type: PowerPC® 405 core, 200 MHz

Memory: 128 MB SDRAM on board, upgradeable to 384 MB (one slot)

Internal IDE Hard Disk: (optional) for downloaded fonts, forms, and profiles;

Job Accounting; electronic collation; PDF printing; Proof then Print, Secured Job, Print & Hold, and Stored Job functions

Printer Emulations:

PostScript 3, PCL 6 (with PjL), PDF 1.3 (hard disk required), Line printer

Printer Management: PageScope Net Care software, PageScope Light

Web-based management, print drivers support for Macintosh, Windows, and Linux, Status Monitor utility, Crown Print Monitor utility, Download Manager utility, Job Accounting; Web Jetadmin certified

Color Support: Enhanced Automatic Image Density Control (eAIDC), ICC device profiles, Automatic ICC-based color matching, PANTONE® Color tables

Interface Support

Standard Interfaces: Ethernet 10/100BaseTX (supports TCP/IP, NetWare® IPX/SPX, and EtherTalk® protocols); USB 1.1 (supports Microsoft® 'Plug and Play'); IEEE 1284 parallel (supports Microsoft® 'Plug and Play')

Optional External Interfaces: Bluetooth and 802.11b wireless technologies supported

Paper Handling

Standard Paper Input: 200-sheet multipurpose tray

Optional Paper Input: 500-sheet lower input feeder

Standard Paper Output: 200-sheet face-down output tray

Duplex Printing: manual (automatic optional)

Features at a Glance

Features	magicolor 2350 EN
Compatibility	Windows/Mac/UNIX/Linux
Print Speed - Monochrome	up to 18 ppm
Print Speed - Color	up to 4 ppm
Resolution	up to 9600 x 600 dpi-class
Memory	128 MB (max. 384 MB)
Hard Drive	○
Network Interface	●
200-Sheet Multipurpose Tray	●
500-Sheet Input Feeder	○
Automatic Duplexing	○
Copier/Scanner	○

○ Optional ● Standard

Paper Sizes Supported:

Multipurpose Tray: Letter, Legal, A4, Executive, Statement, Folio, Foolscap, UK Quarto, Letter Plus, Govt. Letter, Govt. Legal, A5, B5 (JIS), B5 (ISO), Kai 16, Kai 32, Japanese postcard; Monarch, Com 10, DL, C6, C5, Chou 3, and Chou 4 envelopes; Custom sizes (W) 3.62" - 8.5" (92 - 216 mm), (L) 8.27" - 14" (210 - 356 mm)

Lower Input Feeder: Letter or A4 (plain paper only)

Duplexer: Letter, Legal, A4, Folio, Foolscap, Letter Plus, Govt. Legal (up to 24 lb. or 90 g/m²)

Printable Area: .16" (4 mm) from all edges; maximum 13.6" (345.6 mm) guaranteed print length

Paper Weights:

Plain paper: 16 - 24 lb. Bond (60 - 90 g/m²)

Thick stock: 24 - 90 lb. (90 - 163 g/m²) (Letter/A4 size or smaller)

Print Media: Plain paper, thick stock, glossy stock, OHP transparencies, laser-quality labels, and envelopes. Duplexing on plain paper only.

Physical

Type: Laser printer with internal controller

Dimensions (WxDxH): 14.02" x 19.69" x 15.43" (356 mm x 500 mm x 392 mm)

Weight: w/o consumables: 55 lbs. (25 kg); w/consumables: 61.2 lbs. (27.8 kg); as shipped: 73.8 lbs. (33.5 kg)

Electrical

Power Requirements:

120V Model: 120 VAC ± 10%; 50/60 Hz ± 3%

220/240V Model: 220/240 VAC ± 10%, 50/60 Hz ± 3%

Power Consumption: 1,100 W maximum

Energy Star Compliant*

Environmental

Temperature Requirements: Operating: 50° to 95° F (10° to 35° C)

Non-operating: 32° to 95° F (0° to 35° C)

Humidity: Operating: 15% to 85% RH

Non-operating: 10% to 85% RH

Noise Levels: Operating: <54 dB(A); Standby: <39 dB(A)

Regulatory/Safety Conformity

UL, cUL, FCC-B, DOC, VCCI, CE Marking, C-Tick, CDRH

Consumables

Starter Kit: One each Cyan, Magenta, Yellow, and Black toner cartridges (yield up to 1,500 letter/A4 pages @ 5% coverage); OPC drum cartridge; waste toner pack

Replacement Cartridges:

Standard: Cyan, Magenta, and Yellow toner cartridges yield up to 1,500 letter/A4 pages @ 5% coverage

High-Capacity: Cyan, Magenta, Yellow and Black toner cartridges yield up to 4,500 letter/A4 pages @ 5% coverage

The stated life expectancy of each consumable in your printer is based on printing under specific operating conditions such as page coverage for a particular page size (5% coverage of letter/A4).

The actual consumables life will vary depending on the use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.

Typefaces

137 resident PostScript fonts, 80 PCL fonts

Warranty

1 year exchange

KONICA MINOLTA PRINTING SOLUTIONS U.S.A., INC.

(USA, Canada, Latin America)

Tel.: +1 (251) 633 4300

Fax: +1 (251) 639 4490

Websites:

www.konicaminolta.net/printer/

www.q-shop.com

PN:mc2350Ss11_03

Copyright © 2003 KONICA MINOLTA PRINTING SOLUTIONS U.S.A., INC. All Rights Reserved. KONICA MINOLTA and the KONICA MINOLTA logo are trademarks or registered trademarks of KONICA MINOLTA HOLDINGS, INC. Crown and magicolor are trademarks or registered trademarks of KONICA MINOLTA PRINTING SOLUTIONS U.S.A., INC. PageScope is a trademark or registered trademark of KONICA MINOLTA BUSINESS TECHNOLOGIES, INC. All other trademarks or registered trademarks are the property of their respective owners.

Some images provided by kind courtesy of digitalvisiononline.com.

* The addition of some options, in some combinations may cause the product to become non-compliant. Energy Star compliance does not represent an EPA endorsement of any product or service. Specifications are subject to change without notice.



KONICA MINOLTA



CROWN X



Mac OS



YES
TESTED &
APPROVED

Novell



Q-SHOP.com
buy on-line